



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
5,0	14,50	4,5	BR	03254
6,0	10,00	2,5	GR	02515
6,0	16,00	6,5	BRG	02873
6,4	16,05	6,4	BA	00807
6,4	19,10	6,4	BR	01685
6,5	14,50	7,0	BRG	02306
7,0	16,00	7,0	BA	02358
7,7	14,65	5,0	BR	07078
7,8	13,80	3,6	GR	02198
7,8	14,10	3,6	GA	01984
7,8	14,60	4,8	GAF	00482
8,0	14,00	3,0	BRF	02495
8,0	14,00	3,0	BR	02536
8,0	15,00	3,0	GR	02491
8,0	15,00	5,5	BR	02762
8,0	16,00	7,0	BAP	02013
8,0	17,45	8,0	BA	00198
8,0	18,00	5,0	BR	01423
8,0	18,00	5,0	BRG	02163
8,0	22,00	8,0	BR	01587
8,5	16,00	6,5	BR	00998
9,4	21,40	5,0	GA	02248
9,5	19,05	7,0	BR	01853
9,5	19,20	7,0	BR	01093
9,5	25,35	9,5	B	00089
10,0	14,00	3,0	GA	02135
10,0	19,00	6,5	BR	02171
10,0	21,00	5,0	BR	03005
10,0	22,00	7,0	BR	01672
10,0	22,00	7,0	BRP	01904
10,0	22,00	7,0	BR	02160
10,0	30,00	7,0	BA	00764
10,3	16,00	4,0	GA	02001



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
10,8	22,20	5,4	BR	01067
11,0	17,00	4,0	BR	01737
11,0	17,00	4,0	BRF	02523
11,1	22,20	6,5	BRG	02474
11,1	25,40	6,0	BR	01479
11,6	24,00	10,0	BRGP	07408
12,0	18,00	3,0	GR	02638
12,0	19,00	5,0	BR	05148
12,0	20,00	5,0	BAG	02689
12,0	21,00	4,0	BR	03255
12,0	22,00	5,0	BRG	02535
12,0	22,00	7,0	BA	00289
12,0	28,05	8,0	BAG	02792
12,0	28,10	7,0	BR	01420
12,0	32,00	7,0	BA	01445
12,5	20,00	5,0	BRF	02360
12,5	25,00	8,0	BRG	03250
12,6	21,40	5,0	GA	02249
12,7	22,20	8,0	BR	01559
12,7	22,20	8,0	BAP	02343
12,7	25,30	9,5	B	01508
12,7	25,35	6,4	GA	00981
12,7	25,35	6,4	BA	01966
12,7	25,40	9,5	BR	00129
12,7	28,50	9,5	B	00311
12,7	28,55	6,5	BA	01957
12,7	30,00	8,0	BR	01097
13,0	26,00	7,0	BRG	02373
13,0	26,00	9,0	BRG	01074
14,0	20,00	3,5	BA	02025
14,0	22,00	4,0	BRGP	02569
14,0	22,00	5,0	BRG	03252



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
14,0	23,90	6,0	GA	01717
14,0	24,00	6,0	BRG	02162
14,0	24,00	7,0	BAG	01389
14,0	28,00	7,0	BRG	02308
14,0	32,00	10,0	BR	01875
14,3	22,00	3,9	GR	01977
14,3	23,95	7,0	BR	01835
14,3	25,40	9,5	B	00716
14,3	28,50	6,4	BR	00293
14,3	28,50	9,5	B	00541
14,3	39,55	6,3	BAG	02334
15,0	21,00	3,0	GR	02589
15,0	21,00	4,0	BAG	02130
15,0	21,00	5,0	BRAGP	07397
15,0	23,00	3,0	GR	02639
15,0	24,00	7,0	BR	00790
15,0	24,00	7,0	BRG	01929
15,0	24,00	7,4	BA	01816
15,0	25,00	7,0	BRP	02309
15,0	25,00	7,0	BRG	02454
15,0	26,00	6,0	BAG	02279
15,0	28,00	7,0	BA	00916
15,0	28,55	8,0	B	01076
15,0	30,00	5,0	GA	00515
15,0	30,00	6,0	BAGP	01915
15,0	30,00	7,0	BR	01677
15,0	30,00	7,0	BAG	01846
15,0	30,00	8,0	BA	00766
15,0	30,00	10,0	BR	01348
15,0	32,00	7,0	BR	01907
15,0	35,00	7,0	BR	01058
15,0	35,00	7,0	BAG	01959



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
15,0	35,10	10,0	BR	01051
15,9	22,20	4,3	BAG	02335
15,9	23,80	4,8	GA	00119
15,9	25,35	6,4	BA	01175
15,9	25,40	4,5	BR	00286
15,9	28,50	7,0	BR	01493
15,9	28,55	9,5	B	00156
15,9	30,00	6,0	BAG	01934
15,9	30,30	4,5	GR	01700
15,9	35,00	10,0	BA	00375
16,0	22,00	3,0	GR	02492
16,0	22,10	6,4	BAG	01576
16,0	24,00	6,0	BRG	02176
16,0	28,00	7,0	BA	00980
16,0	28,00	7,0	BRG	02310
16,0	30,00	6,4	BA	01817
16,0	30,00	10,0	BR	00795
16,0	32,00	7,0	BR	00796
16,3	24,00	7,0	BR	00726
17,0	25,00	3,0	GR	02640
17,0	25,00	4,0	BR	02161
17,0	25,00	4,0	BRG	02571
17,0	25,00	4,0	GA	02669
17,0	27,00	5,0	BRG	03253
17,0	28,00	5,0	BRG	02701
17,0	28,00	6,0	BA	01072
17,0	28,00	6,0	BR	01072
17,0	28,00	7,0	BA	00508
17,0	28,00	7,0	BAG	00508
17,0	28,00	7,0	BA	03012
17,0	28,00	7,0	BRA	05141
17,0	28,05	5,0	BR	02375



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
17,0	29,00	5,4	BRP	07409
17,0	30,00	7,0	BRG	02730
17,0	31,20	7,5	BA	01464
17,0	32,00	7,0	BR	01725
17,0	32,00	7,0	BR	02425
17,0	34,00	7,0	BAGP	01916
17,0	35,00	7,0	BR	00853
17,0	35,00	8,0	BR	01511
17,0	35,00	10,0	BR	00828
17,0	35,00	10,0	BRG	01415
17,0	35,30	7,0	BRG	01113
17,0	40,00	8,5	BR	01492
17,5	28,30	7,0	BR	01496
17,5	30,30	4,5	GR	01871
17,8	35,00	9,5	B	00608
18,0	24,00	3,0	GA	02510
18,0	24,00	4,0	GR	02567
18,0	24,00	4,0	GR	02698
18,0	30,00	7,0	BRG	00496
18,0	30,00	7,0	BRG	02329
18,0	35,00	10,0	BR	01769
18,0	37,00	8,0	BRG	02164
18,0	40,00	9,0	BR	01107
18,0	47,00	8,0	BR	01400
18,2	30,00	6,0	BRG	02830
18,7	34,90	8,7	BGO	00745
18,8	31,70	11,0	BGA	02203
19,0	25,40	3,2	GA	00888
19,0	28,50	4,0	GA	01868
19,0	28,50	6,4	BA	00329
19,0	28,55	6,5	BAG	02131
19,0	28,65	4,7	BA	01455



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
19,0	29,10	6,4	BR	01909
19,0	30,10	7,5	BA	01527
19,0	31,60	7,7	BR	02263
19,0	31,70	6,4	B	00569
19,0	31,70	6,4	BR	00569
19,0	31,75	8,0	BAG	00989
19,0	31,80	6,4	BR	00821
19,0	31,85	9,5	BGO	00338
19,0	31,90	7,0	BA	00798
19,0	34,90	9,5	B	00959
19,0	34,95	10,3	BAP	01965
19,0	35,00	7,0	BR	00784
19,0	35,00	10,0	BR	00159
19,0	36,05	8,5	BR	01407
19,0	36,30	8,5	BR	02722
19,0	38,05	10,0	B	00158
19,0	41,25	8,0	BA	00714
19,0	41,30	11,0	BA	01465
19,0	42,10	7,0	BR	01235
19,3	29,10	6,4	BR	01110
19,9	35,00	7,0	BRG	01894
20,0	26,00	4,0	GR	02573
20,0	28,00	4,0	GR	02641
20,0	30,00	7,0	BR	00505
20,0	30,00	7,0	BAG	01935
20,0	31,00	7,0	BA	02285
20,0	31,00	7,0	BA	03013
20,0	31,00	7,0	BRA	05142
20,0	31,20	7,5	BA	01328
20,0	31,95	5,0	BA	00767
20,0	32,00	6,0	BR	00712
20,0	32,10	7,0	BR	00953



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
20,0	34,00	7,0	BR	02311
20,0	34,05	7,0	BR	01718
20,0	34,95	6,0	BA	00715
20,0	34,95	7,0	BR	02486
20,0	35,00	4,5	GA	01777
20,0	35,00	6,0	BRG	02821
20,0	35,00	8,0	BRG	01386
20,0	35,00	10,0	BR	00760
20,0	35,10	4,0	BR	01404
20,0	35,10	5,8	GR	01866
20,0	36,00	10,0	BR	00918
20,0	38,00	6,0	BRG	03004
20,0	38,05	6,4	BAP	02072
20,0	38,10	10,0	BR	01189
20,0	39,70	6,5	BRG	02433
20,0	39,96	6,4	BRG	03126
20,0	40,00	4,0	BA	01694
20,0	40,00	4,0	BAP	01694
20,0	40,00	6,0	BR	01245
20,0	40,00	7,0	BA	00994
20,0	40,00	7,0	BRG	00994
20,0	40,00	7,0	BRG	02468
20,0	40,00	7,0	BRGF	02566
20,0	40,00	10,0	BA	00360
20,0	40,30	10,0	BR	00922
20,0	42,00	10,0	B	01746
20,0	47,10	10,0	BR	00909
20,5	41,20	5,0	BAG	00963
20,6	38,10	7,0	BAGP	02480
20,7	34,85	11,9	BAG	01254
21,0	31,95	7,0	BR	01985
21,0	32,00	7,0	BAG	01883



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
21,0	32,00	7,5	BAG	02371
21,0	32,00	7,5	BAG	02371
21,5	40,00	7,0	BR	02418
21,5	40,00	7,0	BR	07286
21,8	25,00	1,9	GA	02073
21,8	35,00	7,0	BRGP	02740
21,8	36,50	6,4	BAS	01967
21,9	32,00	6,0	BA	02729
21,9	32,00	6,0	BA	02729
22,0	31,85	5,0	BA	00769
22,0	32,00	5,5	BR	01727
22,0	32,00	5,5	BR	01727
22,0	32,00	7,0	BRG	01554
22,0	35,00	6,7	BR	00294
22,0	35,00	7,0	BR	01716
22,0	35,00	7,0	BRGP	02533
22,0	35,00	7,0	BRG	02572
22,0	35,00	7,0	BRG	02579
22,0	35,00	9,0	BAG	00955
22,0	35,00	10,0	BAG	00118
22,0	38,05	8,0	BR	01112
22,0	40,00	7,0	BR	00761
22,0	40,00	8,0	BRG	00992
22,0	40,00	8,0	BP	02009
22,0	41,25	8,0	BA	01481
22,0	42,00	10,0	BR	00815
22,0	42,00	10,0	BRP	01914
22,0	47,00	9,0	B	01779
22,1	35,00	8,0	GA	02126
22,2	28,58	3,2	GA	02715
22,2	31,00	6,0	BAG	02878
22,2	31,70	6,0	BA	02357





## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
22,2	33,15	10,3	BA	00150
22,2	34,85	8,0	BAG	00937
22,2	34,95	8,0	B	00937
22,2	34,95	8,0	BG	00937
22,2	35,00	8,0	BA	01819
22,2	38,10	9,5	B	00100
22,2	50,80	11,1	BAG	02064
22,3	34,95	6,4	BR	00572
22,8	40,00	8,0	BRAGP	07309
23,0	35,00	8,0	BAG	02372
23,0	35,00	8,0	BRAGF	02837
23,3	59,95	6,4	GA	01613
23,8	34,50	7,0	BR	02029
23,8	38,05	6,5	BAG	02465
23,8	38,05	7,9	B	01836
23,8	39,00	6,2	GR	01867
24,0	35,00	6,0	BRF	02594
24,0	36,00	6,0	BR	01666
24,0	37,00	7,0	BR	01214
24,0	37,00	7,0	BRG	02210
24,0	38,00	9,0	BR	00829
24,0	40,10	10,0	BR	01341
24,0	42,00	10,0	BR	01507
24,0	47,00	7,0	BR	00763
24,6	39,90	8,0	BAG	01712
25,0	32,00	4,0	GA	02265
25,0	32,00	4,0	GR	02588
25,0	32,00	4,0	GR	02642
25,0	35,00	5,0	GA	02107
25,0	35,00	7,0	BA	01543
25,0	35,00	7,0	BR	01543
25,0	35,00	7,0	BRGF	02802



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
25,0	35,00	7,0	BRG	05050
25,0	35,00	7,5	BAGP	02007
25,0	35,00	8,0	BRG	02414
25,0	35,00	10,0	BAG	00788
25,0	36,00	7,0	BR	01515
25,0	37,10	7,3	BR	01577
25,0	37,90	7,0	BRG	01892
25,0	38,00	6,4	BR	01019
25,0	38,00	8,0	B	01118
25,0	40,00	5,0	GR	01295
25,0	40,00	7,0	BA	02062
25,0	40,00	7,0	BRGF	02570
25,0	40,00	8,0	BR	01556
25,0	40,00	8,0	BRG	02233
25,0	40,00	8,0	BRGP	02712
25,0	40,00	9,0	BRG	02148
25,0	40,00	10,0	B	00469
25,0	41,10	9,5	BR	00191
25,0	42,00	6,0	BR	01604
25,0	42,00	8,0	BA	00925
25,0	43,05	10,0	BR	00506
25,0	44,90	5,0	BR	00709
25,0	44,95	7,0	BA	01397
25,0	47,00	7,0	BAG	02010
25,0	47,00	7,0	BRO	02010
25,0	47,00	10,0	BR	00266
25,0	47,00	10,0	BRG	02046
25,0	50,10	10,0	BR	00499
25,0	52,00	8,0	BRG	02727
25,0	52,00	10,0	BR	00463
25,0	62,00	10,0	B	00770
25,4	34,80	5,0	GA	01405



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
25,4	34,90	6,4	BA	00448
25,4	34,95	6,4	BA	02032
25,4	36,40	6,4	BR	00283
25,4	38,00	6,5	B	02230
25,4	38,00	8,0	B	00768
25,4	38,00	8,0	BGO	00768
25,4	38,00	9,5	BAG	01327
25,4	38,05	8,0	BG	02172
25,4	38,05	10,0	BA	00141
25,4	38,10	6,3	BAG	01356
25,4	41,25	9,5	B	00934
25,4	44,45	8,3	B	00844
25,4	44,50	6,5	BAGP	02527
25,4	44,60	5,0	GR	01156
25,4	44,60	6,4	BR	01009
25,4	46,45	9,5	B	00145
25,4	47,55	11,1	B	01302
25,4	50,70	10,2	BA	01393
25,4	50,75	15,8	BGO	01547
26,0	31,00	3,0	GA	01830
26,0	35,00	7,0	BRG	02568
26,0	37,00	7,0	BRG	01045
26,0	40,00	5,0	GR	01778
26,0	40,00	8,0	BRG	02412
26,0	42,00	8,0	BRAGF	02525
26,0	42,00	10,0	BRG	01151
26,0	43,00	10,0	BA	00785
26,0	45,00	10,0	BA	01860
26,3	33,30	3,2	GA	01683
26,8	29,95	1,9	GA	01785
27,0	33,95	3,0	GA	02691
27,0	38,10	6,4	BA	00285



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
27,0	38,10	6,4	BR	01993
27,0	40,00	7,0	BRG	01751
27,0	41,80	7,1	BA	00121
27,0	42,00	10,0	BR	01625
28,0	34,90	5,0	GA	00713
28,0	38,00	6,5	GR	01886
28,0	40,00	5,0	GA	02106
28,0	40,00	7,0	BR	01495
28,0	40,00	7,0	BRF	01495
28,0	40,00	7,0	BRS	01495
28,0	40,00	8,0	BRG	02413
28,0	40,00	8,0	BRG	02519
28,0	42,00	7,0	B	01580
28,0	42,00	7,0	BRG	02145
28,0	47,00	10,0	B	00262
28,0	47,00	10,0	BA	00262
28,0	47,50	9,5	BR	00947
28,0	50,00	12,0	B	01020
28,0	52,10	10,0	BR	00503
28,2	37,95	6,0	BRP	02549
28,2	43,00	9,1	B	00607
28,4	45,00	8,5	BR	01188
28,5	36,50	7,0	GA	00122
28,5	38,00	6,0	BR	02828
28,5	50,70	10,0	BA	00771
28,6	34,90	3,2	GA	01539
28,6	38,00	7,0	BR	01022
28,6	38,06	6,0	BR	01299
28,6	38,10	6,5	BA	01964
28,6	39,65	6,4	BR	00581
28,6	39,70	9,5	BR	00054
28,6	39,70	9,5	BR	02654



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
28,6	39,75	4,7	GR	00117
28,6	39,75	6,4	BR	01998
28,6	39,75	7,0	BR	00932
28,6	40,20	5,0	GA	02337
28,6	41,20	7,0	BAGF	02731
28,6	41,25	6,5	BA	02355
28,6	41,25	6,5	BAG	02877
28,6	41,30	9,4	BA	01962
28,6	42,95	6,5	BAG	01661
28,6	44,50	11,0	BAG	00634
28,6	46,55	11,3	B	00056
28,6	50,30	9,5	B	00950
28,6	52,30	9,5	B	00961
28,6	57,15	9,5	BR	01635
28,7	31,78	3,1	GA	02361
28,7	40,00	7,0	BAP	02140
29,0	50,00	10,0	B	02244
29,4	42,83	8,0	BRG	02153
29,4	46,45	10,0	B	00127
29,9	45,00	7,0	BA	01833
29,9	52,00	8,0	BRG	01895
29,9	58,10	8,0	BA	02407
30,0	36,95	3,0	GA	02788
30,0	37,00	4,0	GR	02643
30,0	37,00	4,0	BA	02096
30,0	40,00	7,0	BR	01535
30,0	40,00	7,0	BRP	01903
30,0	40,00	8,0	BA	00810
30,0	42,00	6,0	BRG	05117
30,0	42,00	7,0	BAG	00847
30,0	42,00	7,0	BRAGF	05093
30,0	42,00	10,0	BRG	02234



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
30,0	42,05	8,0	BR	01667
30,0	42,95	9,5	BA	00813
30,0	42,95	9,5	BAG	00813
30,0	43,00	8,0	BRAGF	05074
30,0	43,60	7,0	BRGP	07022
30,0	44,00	7,0	BRGP	05530
30,0	45,00	12,0	BR	00832
30,0	46,40	10,0	BA	01831
30,0	47,00	6,0	BR	01695
30,0	47,00	6,0	BR	02593
30,0	47,00	7,0	BRG	02376
30,0	47,00	7,0	BRGS	02678
30,0	47,00	7,0	BRAGP	05202
30,0	47,00	10,0	BR	00131
30,0	47,00	10,0	BRGP	02930
30,0	50,00	10,0	BR	00358
30,0	50,00	11,0	BRG	00911
30,0	50,05	12,0	BA	00484
30,0	50,75	11,0	B	00701
30,0	52,00	7,0	BAG	02006
30,0	52,00	7,0	BRAGF	05073
30,0	52,00	8,0	BR	00952
30,0	52,00	8,0	BRG	02813
30,0	52,00	9,0	BS	01743
30,0	52,00	9,0	B	02401
30,0	52,00	10,0	BR	00949
30,0	52,00	12,0	B	00824
30,0	52,00	12,0	BA	01952
30,0	52,20	7,0	BAGP	02831
30,0	55,00	12,0	BA	00772
30,0	56,00	12,0	BR	00817
30,0	58,10	11,0	BA	07299



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
30,0	62,00	10,1	BA	01273
30,0	72,00	9,5	BR	01182
30,0	72,00	10,0	BGO	01581
30,2	47,00	8,0	BA	00455
30,2	62,00	12,0	BA	01063
30,3	39,65	6,4	BR	01992
31,0	41,00	9,5	BA	00519
31,0	47,00	7,0	BR	00762
31,0	50,00	8,0	BRGF	02317
31,7	42,80	7,9	BAG	01630
31,7	42,85	5,0	GR	00114
31,7	44,45	7,0	BA	01843
31,7	44,50	6,5	BR	01149
31,7	44,50	8,0	BR	00343
31,7	44,50	9,5	B	01154
31,7	50,30	11,1	B	01698
31,7	50,70	9,5	B	00774
31,7	50,70	11,0	B	00028
31,7	50,80	11,1	BAG	02063
31,7	51,00	5,0	GR	01703
31,7	52,30	9,5	B	01377
31,7	53,95	6,5	BAGP	02052
31,8	42,80	9,5	B	00017
31,8	44,45	8,0	BG	02215
31,8	44,50	6,5	BA	01149
31,8	45,03	3,6	GR	03129
31,9	44,00	9,0	BA	01370
32,0	42,00	7,0	BAG	01310
30,0	42,00	7,0/8,0	BRAGF	05159
32,0	43,00	5,0	GR	02144
32,0	43,00	7,0	BR	01715
32,0	44,25	9,0	BA	00170



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
32,0	45,00	6,0	BR	01726
32,0	45,00	6,5	GR	02987
32,0	45,00	7,0	BA	00495
32,0	45,00	7,0	BRG	02397
32,0	45,00	7,0	BRG	02984
32,0	47,00	10,0	BRGP	01942
32,0	47,00	10,0	BRGF	02142
32,0	47,00	10,0	BRGF	02843
32,0	47,00	10,0	BRGF	02950
32,0	47,50	6,4	BA	01563
32,0	48,00	8,0	BRGP	05529
32,0	50,00	8,0	BR	00839
32,0	51,90	12,0	BRG	01353
32,0	52,00	7,0	BRG	02699
32,0	52,00	9,0	B	01744
32,0	52,10	10,0	BR	00801
32,0	57,05	9,5	BA	00477
32,0	65,00	13,0	BAGP	02184
32,0	72,00	10,0	B	02270
33,0	45,00	7,0	BRF	02012
33,0	50,00	6,0	BRG	01603
33,0	50,00	8,0	BA	01839
33,0	51,90	12,0	BAG	01849
33,0	52,00	6,0	BR	01589
33,3	46,40	9,5	BA	00322
33,3	53,95	11,0	BG	02242
33,3	69,40	7,9	BA	01040
34,0	48,00	7,0	BRGP	05307
34,0	52,00	7,0	BRAGP	07364
34,0	52,00	7,5	BR	01509
34,0	62,10	10,0	BR	01157
34,0	63,00	12,0	BRG	03251





## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
34,5	48,05	8,8	BR	01048
34,9	50,75	8,3	BA	02221
34,9	50,85	8,3	BA	02102
34,9	52,00	7,0	BRAGF	02575
34,9	52,30	9,5	B	01395
34,9	53,50	6,5	GA	02315
34,9	55,90	12,5	BAG	01844
34,9	63,00	13,0	BAG	01343
35,0	42,00	4,0	GA	02095
35,0	42,00	4,0	GR	02632
35,0	44,50	7,0	BA	01502
35,0	45,00	7,0	BA	00822
35,0	46,45	6,4	BRG	01526
35,0	46,50	4,8	GR	01152
35,0	47,00	7,0	BA	00485
35,0	47,00	7,0	BRGF	02962
35,0	47,05	9,0	BR	00969
35,0	47,05	10,0	BR	00520
35,0	47,55	9,5	B	01041
35,0	48,00	7,0	BRGS	02178
35,0	48,00	7,0	BRAGS	05003
35,0	48,00	7,0	BRAGS	05005
35,0	50,00	7,0	BRGF	05253
35,0	50,00	8,0	BR	00962
35,0	50,00	8,0	BRGP	00962
35,0	50,00	8,0	BRGS	02456
35,0	50,00	10,0	BA	00789
35,0	50,00	10,0	BR	00789
35,0	52,00	12,0	BRG	00912
35,0	52,10	10,0	BR	01742
35,0	52,10	12,0	BR	00758
35,0	52,30	9,5	BR	00879



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
35,0	53,90	9,5	B	00694
35,0	53,95	11,0	BR	00214
35,0	54,85	11,0	BAG	01371
35,0	55,00	8,0	BR	01980
35,0	55,50	6,4	BR	00284
35,0	56,00	10,0	BAG	02087
35,0	56,00	10,0	BR	02224
35,0	56,00	10,0	BRP	07399
35,0	56,05	12,0	BA	00492
35,0	57,90	6,4	GA	00258
35,0	58,00	10,0	BR	01551
35,0	58,00	10,0	BR	01905
35,0	60,25	12,7	BR	00009
35,0	60,30	9,5	BRG	02304
35,0	61,80	7,5	GA	00026
35,0	62,00	9,5	BA	00800
35,0	62,00	10,0	BR	01949
35,0	62,00	12,0	BA	00136
35,0	62,00	12,0	BAG	02091
35,0	63,10	14,0	BRG	02303
35,0	63,50	12,7	B	00033
35,0	72,00	10,0	B	01366
35,0	80,00	6,0	BA	02151
35,0	80,00	12,0	BR	01954
35,0	82,90	10,0	BRG	02732
35,5	58,20	13,0	BAG	01004
36,0	54,00	7,0	BR	00797
36,0	54,00	7,0	BA	02099
36,0	54,00	7,5	BR	01421
36,0	56,00	10,0	BR	00615
36,0	60,00	9,5	BRG	01814
36,5	57,05	12,7	B	00218



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
36,6	41,75	3,0	GA	01882
36,6	52,35	8,0	BRG	05167
37,0	47,00	10,2	BRG	05363
37,0	50,00	10,0	BR	01608
38,0	43,00	3,0	GA	02444
38,0	47,60	6,5	BA	02505
38,0	50,00	7,0	BA	00486
38,0	50,35	11,0	BGF	02565
38,0	52,00	10,0	BR	00479
38,0	52,00	10,0	BRG	00479
38,0	52,25	6,2	GA	01432
38,0	52,25	7,0	BR	02506
38,0	53,05	8,5	BRG	01786
38,0	54,00	10,0	BR	02051
38,0	57,00	7,0	BA	01657
38,0	58,50	7,0	BR	01832
38,0	62,00	7,0	BA	02128
38,0	69,95	12,7	B	01318
38,0	73,95	11,0	BAG	01710
38,0	74,00	11,0	BAG	02289
38,1	47,60	6,4	BA	1536
38,1	47,60	7,0	BA	02385
38,1	47,60	7,0	BA	07303
38,1	50,10	7,0	BR	01355
38,1	50,30	11,1	B	01284
38,1	50,35	11,0	BAG	01803
38,1	50,75	5,5	GA	00470
38,1	50,75	9,5	BA	01659
38,1	54,10	11,0	BR	00203
38,1	55,55	6,4	BA	01396
38,1	60,30	12,7	B	00049
38,1	60,30	12,7	BAG	00049



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
38,1	60,35	12,7	BRG	01854
38,1	63,50	12,7	BR	00019
38,1	63,55	12,7	BRG	02034
38,2	60,35	12,7	BAG	01877
38,2	63,50	11,1	BA	00995
39,1	62,20	6,4	GA	00373
39,4	62,00	14,0	BAG	00066
39,4	63,55	12,5	BRG	02438
39,4	63,55	12,7	BRG	02038
39,7	57,10	6,4	GA	01869
39,7	61,20	12,7	B	00016
39,7	62,00	12,0	BR	00166
39,7	63,45	12,7	B	01811
39,7	68,15	11,1	BGO	00871
40,0	50,00	4,0	GA	01419
40,0	50,00	4,0	GR	02633
40,0	52,00	6,0	BRG	02822
40,0	52,00	7,4	BRG	01988
40,0	52,00	8,0	BRGF	02430
40,0	52,00	9,0	BRGP	02068
40,0	55,00	8,0	BRG	01707
40,0	55,00	8,0	BRG	02391
40,0	55,00	8,0	BRGP	02541
40,0	55,00	8,0	BAG	02972
40,0	55,00	8,0	BRGP	07021
40,0	55,00	8,0	BRAG	07284
40,0	55,00	9,0	B	01155
40,0	55,00	9,5	BAG	02419
40,0	55,15	10,0	BR	01745
40,0	56,00	7,0	BAGP	02005
40,0	56,00	7,0	BR	02031
40,0	56,00	7,0	BAGF	02302



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
40,0	56,00	8,0	BR	00880
40,0	56,00	8,5	GR	01759
40,0	56,00	9,0	BAG	01265
40,0	56,00	10,0	BAG	01046
40,0	56,10	12,0	BR	00265
40,0	57,00	12,0	BR	00924
40,0	60,00	10,0	BR	01116
40,0	60,00	12,0	BR	00897
40,0	62,00	11,5	BR	01109
40,0	62,00	11,5	BRG	01109
40,0	62,00	12,0	BG	02377
40,0	62,10	10,0	BR	01322
40,0	65,00	12,0	BAG	01266
40,0	65,00	12,0	BGO	02088
40,0	68,00	12,0	BR	02225
40,0	70,00	12,0	B	00837
40,0	72,00	12,0	BAG	01602
40,0	80,10	10,0	BR	00913
40,0	82,90	10,0	BRG	02675
40,1	52,00	7,4	BRG	01988
40,2	52,00	7,0	BA	01491
40,5	53,95	7,2	BAGS	01958
40,8	44,05	3,1	GA	02322
40,8	44,05	3,2	GA	02521
41,0	65,40	13,0	BAG	07381
41,1	49,30	6,5	BAG	01963
41,1	62,00	16,0	BGO	00626
41,1	62,05	16,0	BGO	02027
41,1	65,40	13,0	BAG	01100
41,2	63,50	8,0	BAGP	02084
41,2	63,50	8,0	BAP	02084
41,2	63,50	8,0	BAGP	07062



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
41,3	54,00	6,5	BA	02356
41,3	54,00	6,5	BAG	02879
41,3	59,10	8,0	BAG	01989
41,3	61,80	12,7	B	01378
41,3	61,90	12,0	B	00083
41,3	63,55	6,5	BAGP	02053
41,3	63,55	12,7	BR	00133
41,3	66,55	12,7	B	00692
41,3	75,75	6,4	GA	00951
41,4	70,60	7,9	BAG	01931
42,0	53,00	7,0	BRGF	05250
42,0	55,00	9,0	BAGF	02058
42,0	56,00	7,0	BR	00288
42,0	56,00	7,0	BAG	02321
42,0	58,00	7,0	BA	02059
42,0	58,00	7,0	BRGF	02793
42,0	58,00	7,0	GRG	03164
42,0	58,00	7,0	BA	05411
42,0	60,00	9,0	BRG	02296
42,0	62,00	6,0	BR	01802
42,0	62,00	12,0	BA	00361
42,0	62,10	10,0	BR	00521
42,0	64,90	12,0	BAG	00561
42,0	65,00	12,0	BF	01506
42,0	65,00	13,0	BS	01809
42,0	65,05	10,0	BR	01505
42,0	72,00	10,0	BR	02039
42,0	72,00	12,0	BR	01081
42,8	63,35	9,5	BR	00564
42,8	68,15	10,7	BA	00533
43,0	52,00	6,5	BA	02979
43,0	52,00	6,5	GA	02981



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
43,0	62,00	10,0	BR	00604
43,0	75,00	10,0	BRGF	02658
44,0	58,00	7,0	BA	02295
44,0	60,00	10,0	BR	01552
44,0	60,00	10,0	BAGP	02014
44,0	76,10	12,7	BR	00219
44,0	79,90	12,0	BA	00775
44,2	71,45	14,8	BAG	01119
44,3	60,00	7,0	BR	02378
44,3	81,00	12,5	BR	02196
44,4	63,50	12,7	BAG	02580
44,4	63,50	12,7	BAGF	02784
44,5	54,00	4,8	BA	00749
44,5	57,15	9,4	BR	00734
44,5	60,30	9,5	BR	00877
44,5	61,90	9,5	BAG	01859
44,5	62,00	11,0	BRG	01095
44,5	63,40	4,8	GR	01306
44,5	63,50	9,5	BRP	01845
44,5	63,55	8,0	BA	02104
44,5	63,55	12,7	B	00101
44,5	65,05	8,0	BR	01532
44,5	66,65	12,7	BR	00128
44,5	68,15	12,7	B	00588
44,5	68,20	15,9	BRG	01679
44,5	68,20	15,9	BRGS	01679
44,5	69,80	12,7	B	00069
44,5	70,00	10,0	BR	01656
44,5	73,00	12,0	B	00276
44,5	73,00	12,7	BG	02880
44,5	79,90	11,1	BA	00554
44,7	61,20	8,8	BRAGF	05522



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
44,7	61,20	9,5	BAG	00222
44,8	61,30	12,0	BA	00012
45,0	51,90	4,0	GA	02736
45,0	55,00	4,0	GR	02634
45,0	60,00	7,0	BRG	00272
45,0	60,00	7,0	BRG	02745
45,0	60,00	8,0	BRGP	02175
45,0	60,00	8,0	BRGP	07012
45,0	60,00	9,0	BRG	01911
45,0	60,00	9,0	BRGF	01911
45,0	60,00	10,0	B	01738
45,0	60,00	10,0	BRG	01851
45,0	62,00	7,0	BA	02169
5,0	62,00	8,0	GR	01760
45,0	62,00	9,0	BRG	02110
45,0	62,00	9,0	BAG	02298
45,0	62,00	9,0	BRGP	02720
45,0	62,00	10,0	BRG	00063
45,0	63,95	9,0	BRG	01711
45,0	64,95	12,0	BR	01344
45,0	65,00	8,0	BRG	02324
45,0	65,00	10,0	BR	00359
45,0	65,00	10,0	BRAGF	07365
45,0	66,20	6,0	BR	01141
45,0	67,90	12,0	BAG	01207
45,0	72,00	9,5	BR	01553
45,0	72,00	10,0	BA	01906
45,0	72,00	12,0	BR	00509
45,0	85,00	13,0	B	01038
45,6	48,75	3,2	GA	02522
46,0	56,00	4,0	BRG	02591
46,0	62,00	7,0	B	00302





## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
46,0	65,50	7,0	BRG	01764
46,0	68,00	12,0	BAF	07599
46,3	66,60	6,4	BA	00849
46,7	62,00	9,0	BRGF	05353
47,0	62,10	8,0	BR	01140
47,5	76,05	9,5	GA	00848
47,6	57,15	5,0	BAF	02558
47,6	62,70	11,1	BAG	00368
47,6	63,50	11,0	BAGS	01955
47,6	63,55	9,7	BAGP	02990
47,6	66,55	12,7	B	00405
47,6	69,80	12,7	B	00155
47,6	69,85	9,5	BR	01699
47,6	70,55	13,5	BA	01369
47,6	75,30	6,4	GA	00015
47,6	79,25	10,0	BR	01519
47,6	82,80	11,0	B	01460
47,7	62,10	8,0	BR	00264
47,7	65,00	8,0	BR	02055
47,7	72,95	12,0	B	00674
47,8	65,00	11,7	BAG	02365
48,0	62,00	8,0	BA	00566
48,0	65,00	10,0	B	00527
48,0	65,00	12,0	BGO	01840
48,0	65,10	7,0	BRG	01147
48,0	65,50	7,0	BAGG	02833
48,0	66,00	11,0	BRGP	02721
48,0	66,10	12,0	BR	01793
48,0	69,00	10,0	BAF	07485
48,0	72,00	7,0	BRG	02139
48,0	72,00	10,0	BRG	00161
48,0	72,00	10,0	BR	01902



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
48,0	72,10	7,0	BRG	00522
48,0	75,00	8,0	BAF	02723
49,0	65,00	10,0	BAG	01241
49,0	68,00	12,0	BAG	01262
49,0	75,00	11,0	BR	01017
49,2	63,50	9,5	BA	00157
49,2	65,00	8,0	BR	00708
49,2	69,90	9,5	BA	00072
49,2	76,05	12,7	B	00291
49,2	76,05	12,7	BR	00291
49,2	79,35	12,5	BR	01994
49,2	80,90	11,0	B	00229
50,0	58,00	4,0	GA	01973
50,0	65,00	8,0	BR	01422
50,0	65,00	8,5	BRG	01783
50,0	65,00	10,0	B	01740
50,0	68,00	8,5	GR	01847
50,0	68,00	9,0	BRG	02108
50,0	68,00	10,0	BR	01340
50,0	69,60	12,7	B	00653
50,0	70,00	10,0	BR	00946
50,0	70,00	12,0	BAG	01807
50,0	71,85	12,0	BR	00162
50,0	72,00	12,0	BRG	01861
50,0	72,08	10,0	BR	00834
50,0	87,00	12,7	BAG	01855
50,8	65,05	12,7	BAG	02262
50,8	65,10	12,7	GA	01671
50,8	69,80	12,7	B	00468
50,8	69,85	11,0	BRGP	05308
50,8	71,90	11,9	B	01878
50,8	73,00	12,7	B	00630



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
50,8	76,25	12,7	BR	00048
50,8	79,90	10,0	BA	00752
50,8	80,00	12,7	B	00660
50,8	81,00	11,9	BGO	00274
50,9	69,80	9,5	BRG	00586
51,0	58,00	4,0	GA	02342
52,0	70,00	8,0	BAGP	03317
52,0	72,00	12,0	B	00047
52,0	72,00	12,0	BAGF	00047
52,0	72,00	12,0	BAG	01950
52,0	80,05	10,0	BR	00867
52,4	68,00	10,5	BR	01187
52,4	69,80	12,7	B	00843
52,4	72,10	11,4	B	00004
52,4	76,10	7,9	BA	00974
52,4	80,95	11,5	B	00005
53,0	69,85	11,0	BRGP	05309
53,0	75,00	12,0	B	00838
53,0	82,00	7,5	GA	07023
53,8	77,70	12,7	BA	00006
53,9	73,00	12,7	B	00037
53,9	76,15	12,7	BA	00093
53,9	81,10	12,0	BRG	00231
54,0	65,00	8,0	BA	01278
54,0	72,00	8,0	BR	00563
54,0	73,00	9,5	BRG	02197
54,0	73,00	11,0	BAGP	02207
54,0	76,00	8,0	BRG	01825
54,0	76,20	12,7	BAG	01864
54,0	77,70	11,0	BRGF	02497
54,0	77,70	11,0	BRGF	02660
54,0	77,75	19,0	BGO	01012



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
54,0	79,35	9,5	BGP	02287
54,0	79,35	12,7	B	00436
54,0	79,35	12,7	BAG	00436
54,0	79,40	12,7	BAG	01838
54,0	90,00	12,5	BAGP	02205
54,1	73,00	8,5	BAG	01930
55,0	62,90	5,0	GA	02847
55,0	65,00	5,0	GR	02635
55,0	68,00	4,0	GR	01035
55,0	70,00	8,0	BR	01181
55,0	70,10	11,5	BR	01557
55,0	72,00	9,0	BRG	02111
55,0	72,00	10,0	BR	01550
55,0	72,00	10,0	BRP	01550
55,0	72,00	10,0	BRGS	01969
55,0	72,00	10,0	BR	07065
55,0	75,00	10,0	BR	00804
55,0	75,00	12,0	B	00620
55,0	76,00	12,0	BA	01247
55,0	80,00	8,0	BRG	02529
55,0	80,00	10,0	BR	00459
55,0	80,00	13,0	BR	00498
55,0	85,00	13,0	BR	01180
55,0	90,00	10,0	BA	00793
55,0	90,00	12,5	B	00964
55,0	100,00	12,7	BR	01669
55,0	101,60	10,0	BA	00776
55,1	82,00	10,0	GA	01637
55,4	76,15	12,7	BAG	02415
55,5	80,90	15,5	BAG	02181
56,0	85,00	13,0	BR	00919
57,0	69,80	6,4	BA	00456



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
57,0	71,00	9,0	BRGF	05352
57,0	85,00	12,0	BAP	02236
57,1	76,05	12,7	BR	07181
57,1	76,10	11,0	BAG	02067
57,1	76,20	12,7	BRG	02193
57,1	80,00	13,0	B	00735
57,2	73,00	8,0	BAG	02066
57,2	76,00	9,5	GA	01872
57,2	76,10	12,7	B	00013
57,2	77,75	10,0	BRGP	02667
57,2	79,30	12,7	B	00146
57,2	80,00	12,7	B	00109
57,2	82,45	9,5	BA	02381
57,2	82,50	9,5	BAG	02103
57,2	82,50	12,0	BAGGP	07262
57,2	82,50	12,0	BAGP	07267
57,2	82,50	12,7	BA	00321
57,2	82,55	6,5	GA	02316
57,2	85,00	12,7	B	00273
57,2	92,00	18,0	BGO	00014
57,3	76,20	9,5	BAG	01862
57,3	76,20	12,7	BRG	00013
57,3	84,00	8,0	BA	00188
58,0	74,00	10,0	BRGF	05305
58,0	75,00	9,0	BRG	02112
58,0	75,00	9,0	BRG	02426
58,0	75,00	12,0	BAG	02100
58,0	80,00	12,0	BRGP	02326
58,0	85,00	13,0	BAG	01798
58,7	79,35	9,6	BR	01995
58,7	84,05	9,5	GA	00010
58,7	85,00	8,0	BA	00070



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
59,5	85,60	12,0	B	00547
60,0	72,00	6,0	GR	02636
60,0	73,00	10,5	BRAGF	07484
60,0	75,05	8,0	BR	00501
60,0	76,20	11,1	BRG	05126
60,0	78,05	8,8	BAG	00305
60,0	80,00	10,0	BR	00223
60,0	80,00	10,0	BRF	02955
60,0	80,00	12,0	BAG	01392
60,0	80,00	13,0	BR	00818
60,0	82,00	12,0	BR	00977
60,0	82,00	12,0	BRG	01841
60,0	82,00	12,0	BRG	01842
60,0	85,10	12,7	BR	01194
60,0	90,00	8,0	BR	02685
60,0	90,00	10,0	BR	00517
60,2	85,75	9,5	BA	01755
60,3	79,35	9,5	BAG	02077
60,3	79,40	12,0	BAGP	02206
60,3	82,50	11,0	BAP	02116
60,3	85,00	12,0	B	00371
60,3	85,05	6,4	BA	01345
60,3	88,40	11,0	B	00021
60,3	90,00	12,5	BAGP	02204
60,3	92,00	12,0	BAG	00334
60,4	79,35	9,3	BR	01050
60,4	79,35	9,3	BRGS	01050
60,4	79,40	9,3	BRGF	02578
61,9	79,95	10,0	B	01828
62,0	85,00	10,0	BR	00460
62,0	85,00	11,9	BGO	00805
62,0	85,00	13,0	BR	00044



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
62,0	92,00	9,5	GA	00065
62,0	100,05	17,0	BA	01425
63,0	81,00	10,0	BA	01408
63,5	76,10	9,5	BR	00907
63,5	76,20	6,4	GA	01870
63,5	82,50	12,7	B	01790
63,5	82,55	12,7	BAGF	02478
63,5	82,55	12,7	BAGP	02504
63,5	85,55	12,7	BAG	01541
63,5	88,90	11,0	BRGF	02498
63,5	88,90	12,7	BAG	00120
63,5	88,90	12,7	BA	01863
63,5	88,90	17,8	BG	00652
63,5	89,90	12,0	B	00378
63,5	110,00	13,0	B	01462
63,6	88,90	13,5	BAG	02256
63,9	73,00	3,2	GA	02255
64,0	80,00	8,0	BAGP	02004
64,0	80,00	8,0	BRAG	05062
64,0	80,00	9,0	BRAGF	05055
64,0	90,00	10,0	BRGS	02399
65,0	80,00	8,0	BR	01160
65,0	85,00	10,0	BRG	02530
65,0	85,10	10,0	BR	00926
65,0	88,30	12,7	BGO	01454
65,0	88,45	12,7	BA	00903
65,0	90,00	10,0	BRP	00051
65,0	90,00	13,0	BAG	00164
65,0	90,00	13,0	BR	00164
65,0	90,00	15,0	BAGS	01810
65,0	90,00	15,0	BRAGS	01810
65,0	92,00	17,8	BGO	01489



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
65,0	100,00	13,0	BR	02113
65,8	88,40	12,7	B	00058
66,7	85,60	12,0	BGP	02272
66,7	88,35	12,7	B	00651
66,7	88,90	12,7	BR	00369
66,7	92,00	11,0	BGP	02271
66,7	92,00	12,0	B	00030
66,7	95,25	12,7	BR	00379
66,7	112,65	11,0	B	00434
68,0	85,00	10,0	BAF	02556
68,0	85,00	10,0	BRG	02557
68,0	85,00	10,0	BRAF	07603
68,0	90,00	10,0	BAG	00228
68,0	90,00	10,0	BAF	02292
98,0	90,00	10,0	BR	02445
68,0	90,00	13,0	BAG	00500
68,0	90,00	13,0	BAGF	00500
68,0	90,00	13,0	BAGP	00500
68,0	90,00	13,0	BAGF	01762
69,8	90,00	8,0	BRP	02422
69,8	90,00	10,0	BAG	02423
69,8	92,00	11,0	BRGF	02499
69,8	92,00	14,2	BRG	00891
69,8	95,20	12,7	B	00376
69,8	95,25	16,0	BGO	01865
69,8	98,45	11,8	BAG	01880
69,8	88,90	12,7	BA	02085
69,9	92,25	12,7	BGF	02560
69,9	98,45	12,7	B	00081
70,0	85,00	7,0	GR	02637
70,0	85,00	8,0	BR	00906
70,0	85,00	8,0	BAGP	02269





## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
70,0	85,00	8,0	BAGF	02297
70,0	85,00	8,0	BAGS	02398
70,0	85,00	8,0	BRG	02677
70,0	90,00	10,0	BR	01135
70,0	90,00	10,0	BRGS	01135
70,0	90,00	10,0	BRP	01135
70,0	90,00	10,0	BRGP	02192
70,0	90,00	13,0	BR	00490
70,0	90,00	15,0	BRGF	02061
70,0	90,50	10,0	BRP	01927
70,0	95,00	13,0	BRG	01879
70,0	100,00	10,0	BR	00866
70,0	100,00	12,0	BR	00423
72,2	100,00	12,7	B	00087
72,5	92,20	9,0	BAG	02759
73,0	95,20	12,7	B	00098
73,0	101,60	12,7	B	00116
74,0	90,00	10,0	BAG	01044
74,0	90,00	10,0	BRAGF	05075
74,0	114,00	11,0	B	00573
74,6	101,60	17,4	BGO	00323
74,9	100,00	13,0	BA	01687
75,0	90,00	10,0	BRG	02451
75,0	90,00	12,0	BA	00893
75,0	95,00	5,0	BA	01673
75,0	95,00	10,0	BR	02531
75,0	95,00	10,0	BRAGF	07290
75,0	95,00	12,0	BRF	02191
75,0	95,00	13,0	BRG	02753
75,0	95,10	13,0	BR	00046
75,0	100,00	10,0	BR	00609
75,0	100,00	10,0	BRGF	02671



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
75,0	100,00	12,0	BR	00269
75,0	100,00	13,0	BG	02226
75,0	100,00	17,0	BAGF	02199
75,0	100,00	12,0	BAGS	00269
75,0	105,00	13,0	BR	01183
75,9	95,00	11,3	BRGP	01856
76,0	89,70	5,5	BRF	02780
76,2	95,25	9,7	BRS	01852
76,2	98,45	11,9	B	01857
76,2	101,65	11,0	BGP	02127
76,2	101,65	12,0	B	00357
76,2	101,65	12,0	BA	00357
78,0	100,00	13,0	BRGS	01917
78,0	110,00	13,0	BR	00819
79,0	95,30	11,0	BRGS	05166
79,0	111,55	10,7	BA	01301
79,4	104,65	12,7	B	00221
79,4	109,90	13,0	B	00466
79,4	114,30	12,7	BR	01148
79,4	117,40	14,3	B	00008
80,0	98,00	10,0	BRAGF	02524
80,0	98,00	10,0	BRAGF	05521
80,0	100,00	10,0	BR	00610
80,0	100,00	10,0	BAGP	02664
80,0	100,00	10,0	BAGF	03017
80,0	100,00	12,0	BAGS	02235
80,0	100,00	12,0	BAF	02291
80,0	100,00	12,0	BRG	02661
80,0	100,00	12,0	BRG	02662
80,0	100,00	13,0	BGO	00504
80,0	100,00	12,0	BR	00900
81,0	114,20	12,0	B	00134



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
81,0	117,50	14,3	B	00002
82,0	104,70	14,3	B	00593
82,0	105,00	12,0	BRGS	01945
82,0	105,00	13,0	BA	00480
82,5	107,85	11,9	B	00644
82,5	107,85	11,9	BGO	00644
82,5	114,30	12,7	BG	01923
82,5	120,00	15,0	BAG	02416
82,6	107,90	14,3	B	01195
84,0	110,05	16,0	BR	00612
85,0	105,00	10,0	BAF	02606
85,0	105,00	10,0	BAF	02801
85,0	105,00	11,0	BRG	02607
85,0	105,00	12,0	BRGS	01981
85,0	105,00	12,0	BRGF	02283
85,0	110,00	12,0	BR	01767
85,0	110,00	14,0	BAG	00618
85,7	107,85	12,7	B	02352
85,7	114,20	11,2	BRG	01912
85,7	114,33	13,0	BRAGF	05304
85,7	119,00	12,7	B	00025
85,9	104,00	11,0	BRGF	02264
87,3	120,80	14,3	B	00085
88,0	108,00	10,1	BRGF	05254
88,0	110,00	13,0	BA	00737
88,9	126,90	12,7	B	00642
89,0	111,10	12,7	BGOP	00577
89,0	114,00	13,0	BRG	07220
89,0	114,25	12,7	B	01253
89,0	114,25	12,7	BG	02424
89,0	114,30	11,5	B	00300
90,0	104,00	11,0	BRAGF	05343



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
90,0	110,00	9,0	BRGF	05420
90,0	110,00	12,0	BR	02574
90,0	110,05	13,0	BAG	01416
90,0	112,70	13,0	B	01829
90,0	115,00	13,0	BRGP	02325
90,0	120,00	12,0	BAGP	02208
90,0	120,00	12,0	BRG	02751
90,0	120,00	13,0	BRG	00497
90,1	110,00	13,0	BRGP	02450
92,0	126,85	12,7	B	00366
92,1	107,70	10,0	BRGF	02604
92,1	123,85	21,0	BGO	01251
92,1	123,95	15,8	BR	00442
94,9	129,95	13,0	B	01043
95,0	115,00	13,0	BRG	02690
95,0	115,00	13,0	BRAG	02938
95,0	125,00	13,0	B	00045
95,3	114,25	12,0	BGP	02125
95,3	120,55	12,7	B	01257
98,4	126,90	12,0	B	02213
98,5	144,45	19,0	B	00007
99,9	130,00	12,0	BR	07121
100,0	119,95	13,0	BG	02049
100,0	119,95	13,0	B	07369
100,0	120,00	11,0	BR	01375
100,0	123,80	13,0	B	01801
100,0	125,00	12,0	BR	01549
100,0	125,00	12,0	BRS	01968
100,0	125,00	12,0	BRA	07322
100,0	129,90	13,0	BRG	07323
100,0	130,00	12,0	BR	01721
100,0	130,00	12,0	BRGP	01721



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
100,0	130,00	13,0	BRG	01974
100,0	162,00	15,0	BR	00439
101,6	125,00	13,0	BRGF	05421
101,6	126,90	11,2	BAS	02117
101,6	126,90	12,7	B	00123
101,6	130,05	14,3	B	00631
101,6	139,75	14,3	BGO	01252
101,8	127,10	11,9	BGO	01901
102,0	130,00	13,0	BR	00616
105,0	130,00	12,0	BRF	02985
105,0	130,00	13,0	B	00491
105,0	135,00	15,0	BRG	01774
105,0	140,00	12,0	BR	02195
105,0	142,90	12,7	BA	01268
106,4	126,90	12,0	B	00650
108,0	133,25	9,5	B	01103
108,0	133,25	12,0	B	00536
108,0	133,35	12,0	BG	02386
108,0	136,50	12,7	B	01468
108,2	144,45	19,0	B	02021
110,0	130,00	13,0	BAG	00803
110,0	130,00	13,0	BAS	00803
110,0	130,00	13,0	BRGS	00803
110,0	139,95	13,0	B	00516
110,0	139,95	13,0	BG	00516
110,0	180,00	15,0	BR	01427
110,3	133,30	12,0	B	01739
112,5	130,00	11,0	BRAGF	05150
114,3	139,65	12,7	B	02214
114,3	139,65	14,3	B	00125
114,3	152,40	12,7	B	01412
114,3	155,55	14,0	BG	02180



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
115,0	140,00	13,0	BR	00514
117,4	142,87	12,5	BRF	07461
117,5	146,00	14,3	BGO	02092
118,0	140,00	13,0	B	01770
119,0	146,00	14,3	B	00099
119,0	162,10	15,0	BR	00546
119,5	144,95	15,0	BRAG	07372
120,0	140,00	13,0	BAP	00688
120,0	140,00	13,0	BRAG	02697
120,0	140,15	13,0	BAGP	01885
120,0	144,95	15,0	BR	01884
120,7	146,05	12,5	BR	00250
120,7	146,05	12,5	BRP	00250
122,2	140,80	11,8	BRGS	02115
122,2	140,80	11,8	BRGF	02612
122,2	140,80	12,0	BRGF	02449
125,0	150,00	13,0	BRG	02868
125,0	150,00	15,0	BG	01735
125,0	150,00	15,0	BAGF	02156
125,0	150,00	15,0	BRAG	02941
125,0	150,10	13,0	BR	00420
125,0	160,00	12,0	BR	00780
127,0	158,70	12,7	B	00309
127,0	165,10	16,0	B	00310
130,0	160,00	12,0	BR	01193
130,0	160,00	13,0	BAP	01822
130,0	160,00	15,0	BRGS	02069
133,0	160,00	15,0	BRG	01953
133,0	160,00	15,0	BRGP	01953
133,3	158,75	13,0	BRGS	01972
133,3	158,75	13,0	BRGF	02583
133,4	155,55	14,0	BAG	02245



## RETENTORES

Dimensão do Eixo	Dimensão do Alojamento	Altura	Tipo	REF.
133,4	165,10	15,9	B	01362
135,0	189,95	15,0	BR	00042
136,5	168,25	15,9	B	00649
136,5	168,25	15,9	BGO	00649
140,0	165,00	15,0	BAGF	02185
140,0	170,00	13,0	BR	00502
140,0	180,00	15,0	B	02223
142,9	171,05	14,3	BR	00248
145,0	175,00	13,0	BF	02293
145,0	175,00	13,0	B	02778
145,0	175,00	14,0	BRG	02679
146,0	168,25	16,0	B	01928
149,2	181,00	12,7	BGO	00211
150,0	180,00	13,0	BRP	01910
150,0	180,00	13,0	BRS	01910
150,0	180,00	15,0	BR	01424
150,0	180,00	15,0	BAGF	02932
150,0	180,00	15,0	BRG	02933
150,8	177,80	12,5	BRG	02093
155,0	180,00	15,0	BRAGF	05414
160,0	200,00	12,0	BR	01951
161,9	187,30	9,5	BR	02054
165,0	190,00	12,9	BR	00160
165,0	190,50	12,7	BR	02056
165,1	193,65	15,7	B	01976
168,0	188,00	31,5	BAG	02246
174,6	200,00	16,0	B	02138
185,0	210,00	13,0	BR	01676
190,0	220,00	14,8	BR	00268
190,0	220,00	14,8	BRP	00268

Verificar disponibilidade em estoque

Para medidas não relacionadas, favor consultar nosso televendas.